


MSDS - Material Safety Data Sheet**Product Name:** *HarveySeal***MSDS No.:** 025020**Part Numbers Covered:**

025005-C	025050	025081	025215
025020	025050-D	025095	025220
025020-D	025053	025110	025230
025021	025055	025125	
025022	025080	025210	

I. Basic Information:

Manufacturer: WILLIAM H. HARVEY COMPANY
Address: 4334 SOUTH 67TH STREET
City, ST Zip: OMAHA, NE 68117-1019

**Last Update:** 7/8/2002**Chemical State:** ☒ Liquid ☐ Gas ☐ Solid**Chemical Type:** ☐ Pure ☒ Mixture

0	Health
2	Flammability
0	Reactivity
	Pers. Protection

II. Ingredients:

CAS No.	Chemical Name	% Range	EHS	NTP	IARC	SUB Z	SARA 313	OSHA PEL	ACGIH TLV	Other Limits
111762	BUTYL OXITOL	NI					X			NI
67630	ISOPROPYL ALCOHOL	NI						400 PPM	500	NI

III. Hazardous Identification:**Hazard Category:**

☐ Acute ☐ Chronic ☐ Fire ☐ Pressure ☐ Reactive

Hazardous Identification Information:

NI

IV. First Aid Measures:**Route(s) of Entry:**

INHALATION, SKIN (NON-TOXIC), AND INGESTION (NON-TOXIC)

Health Hazards (Acute and Chronic):

INHALATION: DO NOT INHALE!

Signs and Symptoms:

INHALATION: POSSIBLE DIZZINESS AND LIGHT HEADEDNESS EYES: RED AND WATERING

Medical Conditions Generally Aggravated by Exposure:

INHALATION: MAY CAUSE HEADACHE
 EYES: MAY CAUSE IRRITATION

MSDS - Material Safety Data Sheet

Product Name: *HarveySeal*

MSDS No.: 025020

Emergency and First Aid Procedures:

EMERGENCY FIRST AID CALL: 1-303-623-5716 COLLECT

FOR INHALATION REMOVE TO FRESH AIR, SEEK MEDICAL ATTENTION IF CONDITION PERSISTS; FOR EYES, FLUSH WITH WATER AND CONSULT A PHYSICIAN IF IRRITATION IS NOT RELIEVED.

Other Health Warnings:

NI

V. Fire Fighting Measures:

Flash Point: 135F

Lower Explosive Limit: NI

Upper Explosive Limit:

Fire Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL OR WATER SPRAY

Special Fire Fighting Procedures:

RECOMMEND SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING

Unusual Fire and Explosion:

NI

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

SCOOP UP MATERIAL AND PLACE IN TRASH CONTAINER. CONTAIN SPILL WITH SAND, DIRT, OR SAWDUST

VII. Handling and Storage:

Precautions to be Taken:

STORE AWAY FROM HEAT, KEEP CONTAINER CLOSED AFTER USE.

Other Precautions:

KEEP OUT OF REACH OF CHILDREN AND PETS

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

PROVIDE ADEQUATE VENTILATION

Personal Protective Equipment:

USE PROTECTIVE GOGGLES IF WORKING OVERHEAD, OTHER PROTECTIVE CLOTHING OR EQUIPMENT NOT REQUIRED. USE NORMAL GOOD SAFETY AND HYGIENIC PRACTICES; LAUNDER ANY SOILED CLOTHING BEFORE RE-USE.

IX. Physical and Chemical Properties:

Boiling Point: 173 F D

Melting Point: NI

Evaporation Rate: NI

Vapor Pressure (mm Hg.): NI

Vapor Density (AIR = 1): NI

Solubility in Water: SLIGHT

Appearance and Odor: YELLOW-TAN PASTE

Other Information:

MSDS - Material Safety Data Sheet

Product Name: *HarveySeal*

MSDS No.: 025020

X. Stability and Reactivity:

Stability:

STABLE

Incompatibility (Materials to Avoid):

LIQUID OXYGEN SYSTEMS

Decomposition/By Products:

NI

Hazardous Polymerization:

WILL NOT OCCUR

XI. Toxicological Information:

NDA

XII. Ecological Information:

NDA

XIII. Disposal Considerations:

DISPOSE OF WASTE MATERIAL ACCORDING TO APPLICABLE FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS

XIV. Transport Information:

TRANSPORATION INFORMATION:

DOT PROPER SHIPPING NAME: PIPE FITTING CEMENT

DOT LABEL: NON-FLAMMABLE

DOT NUMBER: N/A

UN NUMBER: N/A

IMCO CLASS: N/A

DOT HAZARD CLASSIFICATION: N/A

XV. Regulatory Information:

NDA

XVI. Other Information:

MSDS - Material Safety Data Sheet

Product Name: HarveySeal

MSDS No.: 025020

ABBREVIATIONS:

N/A = NOT APPLICABLE N/I = NONE INDICATED NDA = NO DATA AVAILABLE
N/E = NOT ESTABLISHED C = CELSIUS DEGREES F = FAHRENHEIT DEGREES

DISCLAIMER:

THE INFORMATION HEREIN HAS BEEN COMPILED FROM SOURCES BELEIVED TO BE RELIABLE, UP-TO-DATE, AND IS ACCURATE TO THE BEST OF OUR KNOWLEDGE. HOWEVER, WILLIAM H. HARVEY COMPANY CANNOT GIVE ANY GUARANTEES REGARDING INFORMATION FROM OTHER SOURCES, AND EXPRESSLY DOES NOT MAKE WARRANTIES, NOR ASSUMES ANY LIABILITY FOR ITS USES.